

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 06/14/2006

APPLICATION NO.	IO. FILING DATE		FIRST NAMED INVENTOR .	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/688,151	10	/17/2003	Paul Ashton	CDSI-P01-020	8861	
28120	7590	06/14/2006		EXAM	EXAMINER	
FISH & NE ROPES & G	-	ROUP	NEGIN, RUSSELL SCOTT			
ONE INTER		L PLACE	ART UNIT	PAPER NUMBER		
BOSTON, MA 02110-2624				1631		

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	10/688,151	ASHTON, PAUL					
Office Action Summary	Examiner	Art Unit					
	Russell S. Negin	1631					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on	_•						
2a) This action is FINAL . 2b) ⊠ This	This action is FINAL. 2b)⊠ This action is non-final.						
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) ☐ Claim(s) 1-34 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) 1-34 are subject to restriction and/or expressions.	vn from consideration.						
Application Papers							
9) ☐ The specification is objected to by the Examiner.							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Summary						
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 	Paper No(s)/Mail D 5) Notice of Informal I 6) Other:	ate Patent Application (PTO-152)					

DETAILED ACTION

Note

There are four claims numbered 26. They will be renumbered sequentially starting from number 26 with subsequent claims also numbered sequentially.

Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- Claims 1-17 and 30-34, drawn to a method for monitoring effectiveness of a regiment for treatment of a disease, classified in class 702, subclass 19.
- Claims 18-29, drawn to a pharmaceutical product for treatment of an ocular disease, classified in class 530, subclass 300.

The inventions are distinct, each from the other because of the following reasons:

Inventions II and I are related as product and process of use. The inventions can be shown to be distinct if either or both of the following can be shown: (1) the process for using the product as claimed can be practiced with another materially different product or (2) the product as claimed can be used in a materially different process of using that product. See MPEP § 806.05(h). In the instant case the pharmaceutical product could possibly be used for therapeutic purposes besides the specific method mentioned for monitoring the effectiveness of a regimen for treatment of a disease. Additionally, other drugs besides those mentioned in Group II can be used to monitor

Art Unit: 1631

the effectiveness of a regimen for treatment of a disease. It would be undue search burden to investigate both the pharmaceutical product and the method of use because of the divergent subject matter and the different classifications.

Because these inventions are independent or distinct for the reasons given above and have acquired a separate status in the art because of their recognized divergent subject matter, restriction for examination purposes as indicated is proper.

Specie Election Applicable to Both Groups:

This application contains claims directed to the following patentably distinct species:

Category #1: measurements (claims 1, 20, 21, 31)

Specie A: measurements are behavioral

Specie B: measurements are genetic

Specie C: Measurements are neurological

Specie D: Measurements are biochemical

Specie E: Measurements are physiological

Generic claims: 1-34

Justification: Each type of measurement is distinct and mutually exclusive.

Investigating all types requires undue search burden because of the divergent subject matter of each measurement.

Art Unit: 1631

Specie Election Applicable to Group I:

If Group I is elected, the below mentioned specie election is additionally required.

Category #2: retinal thickness measurements (claims 4, 5)

Specie F: retinal thickness is obtained by a means of confocal scanning laser opthalmoscope

Specie G: retinal thickness is obtained by a means of an optical coherence tomography scanner

Specie H: retinal thickness is obtained by a means of a scanning retinal thickness analyzer

Generic Claims 1-34

Justification: Each apparatus used to obtain retinal thickness is distinct and mutually exclusive. Searching all combinations of the divergent subject matter requires undue burden.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which depend from or otherwise require all the limitations of an allowable generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species.

MPEP § 809.02(a).

Because these inventions are independent or distinct for the reasons given above and have acquired a separate status in the art because of their recognized divergent subject matter, restriction for examination purposes as indicated is proper.

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.

Application/Control Number: 10/688,151

Art Unit: 1631

Papers related to this application may be submitted to Technical Center 1600 by facsimile transmission. Papers should be faxed to Technical Center 1600 via the central PTO Fax Center. The faxing of such pages must conform with the notices published in the Official Gazette, 1096 OG 30 (November 15, 1988), 1156 OG 61 (November 16, 1993), and 1157 OG 94 (December 28, 1993)(See 37 CFR § 1.6(d)). The Central PTO Fax Center Number is (571) 273-8300.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Russell Negin, Ph.D., whose telephone number is (571) 272-1083. The examiner can normally be reached on Monday-Friday from 7am to 4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's Supervisor, Andrew Wang, Supervisory Patent Examiner, can be reached at (571) 272-0811.

Any inquiry of a general nature or relating to the status of this application should be directed to Legal Instrument Examiner, Tina Plunkett, whose telephone number is (571) 272-0549.

Information regarding the status of the application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information on the PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

-RSN 6/11/2006

De 11 Ine 2006

JOHN S. BRUSCA, PH.D

DRIMARY EXAMINER